




**LIGHT<sup>MY</sup>  
BRICKS**



**LEGO® GREAT PYRAMID OF GIZA  
#21058 LIGHT KIT  
INSTALLATION GUIDE**

# Light My Bricks



## LEGO GREAT PYRAMID OF GIZA 21058 LIGHT KIT INSTALLATION GUIDE


Hi There!

We're here to help you get started on the LEGO  
Great Pyramid of Giza 21058 Light Kit.

This PDF details the instructions for the LED light kit only. If you are wishing to purchase this product, please [click here](#) to view the product page.

If you run into any issues, please refer to the troubleshooting section towards the end of this guide.

Have fun and enjoy!





## PACKAGE CONTENTS:



- 2x Large Blue Bit Light 30cm
- 2x Green Bit Light 30cm
- 2x Large Warm White Bit Light 30cm
- 4x Orange Bit Light 30cm\*
- 2x Large Orange Bit Light 30cm



- 3x 6-Port Expansion Board
- 1x Flicker Effects Board

8x Adhesive Square



3x 5cm Connecting Cable



1x USB Power Cable  
(Power Source not Included)

## ASSORTED BRICKS:




- 6x Plate 1x1 Mod Rounded w Handle - Black
- 6x Round Plate 1x1 Open Stud - Black
- 6x Tile 1x1 W Clip Round Edges - Black
- 4x Plate 1x2 MW Stud Jumper - Black
- 4x Tile 1x1 - Black
- 1x Plate 1x1 - Black
- 1x Plate 2x2 w Rounded Bottom - Trans Clear
- 1x Round Plate 1x1 Open Stud - Trans Orange
- 3x Round Plate 1x1 - Trans Orange
- 1x Wave Rounded Small with Pin (Candle Flame)

\* Indicates components which include spares

## Contents

Before You Begin	5
Blueprint	8
Instructions	10
Final Product	31
Troubleshooting	32
Contact	37

## Before You Begin



### Laying cables in between and underneath bricks

Cables can fit in between and underneath LEGO® bricks, plates, and tiles providing they are laid correctly between the LEGO® studs. Do NOT forcefully join LEGO® together around cables; instead ensure they are laying comfortably in between each stud.

*CAUTION: Forcing LEGO® to connect over a cable can result in damaging the cable and light.*




### Connecting Cable Connectors To Expansion Boards

Take extra care when inserting connectors to ports of Expansion Boards. Connectors can be inserted only one way. With the expansion board facing up, look for the soldered “=” symbol on the left side of the port. The connector side with the wires exposed should be facing toward the soldered “=” symbol as you insert into the port. If a plug won’t fit easily into a port connector, do not force it.


*Incorrectly inserting the connector can result in bent pins inside the port or possible overheating of the expansion board when connected.*

## Before You Begin



### Connecting Cable Connectors To Strip Lights

Take extra care when inserting connectors to ports on the Strip Lights. Connectors can be inserted only one way. With the Strip Light facing up, ensure the side of the connector with the wires exposed is facing down. If a plug won't fit easily into a port connector, don't force it. Doing so will damage the plug and the connector.




### Connecting Micro Cable Connectors To Micro Expansion Board Ports

Take extra care when inserting the micro connectors to micro ports of Micro Expansion Boards. Connecting Micro Bit Lights to Micro Expansion Boards is similar to connecting lights and cables to Strip Lights. With the expansion board facing up, ensure the side of the connector with the wires exposed is facing down. If a plug won't fit easily into a port connector, do not force it. Use your fingernail to push the plastic part of the connector to the micro port.

## Before You Begin

### Installing Bit Lights Under Lego® Bricks And Plates

When installing Bit Lights under LEGO® pieces, ensure they are placed the correct way up (Yellow LED component exposed). You can either place them directly on top of LEGO® studs or in between.




# BLUEPRINT

## Coloured Spotlights

## Flickering Orange

## White Spotlights







## INSTRUCTIONS

To ensure a smooth installation of your light kit, please read and follow each step carefully. If you run into any issues, please refer to the online troubleshooting guide.

**1**



1x1 Round Plate Open Stud - Black



Large Warm White Bit Light 30cm











Plate 1x1 Mod Rounded w/ Handle - Black











**2**

**Legend** → DISCONNECT → CONNECT / RECONNECT ↻ TURN / FLIP → DIRECTIONAL ↻ TWIST / BRAID ✨ POWER ON TEST 📝 NOTE ICON

**3**

<p>Tile 1x1 W Clip Round Edges - Black</p> 	
	 <p>x2</p>
	
	<p>Tile 1x1 - Black</p> 

**4**

	
	
<p>1x1 Round Plate Open Stud - Black</p> 	<p>Green Bit Light 30cm</p> 
	

**Legend**

-  DISCONNECT
-  CONNECT / RECONNECT
-  TURN / FLIP
-  DIRECTIONAL
-  TWIST / BRAID
-  POWER ON TEST
-  NOTE ICON

	<p>Plate 1x1 Mod Rounded w/ Handle - Black</p>
	<p>Tile 1x1 W Clip Round Edges - Black</p>
	<p>x2</p>


**5**

	<p>Plate 1x2 MW Stud Jumper - Black</p>
	<p>Plate 1x1 - Black</p>
	<p>Plate 1x2 MW Stud Jumper - Black</p>


**Legend**

- DISCONNECT
- CONNECT / RECONNECT
- TURN / FLIP
- DIRECTIONAL
- TWIST / BRAID
- POWER ON TEST
- NOTE ICON

6



7




**Legend** → DISCONNECT → CONNECT / RECONNECT ↻ TURN / FLIP → DIRECTIONAL ↺ TWIST / BRAID ✨ POWER ON TEST 📝 NOTE ICON



8



9



**Legend**

- DISCONNECT
- CONNECT / RECONNECT
- TURN / FLIP
- DIRECTIONAL
- TWIST / BRAID
- POWER ON TEST
- NOTE ICON

	<p>Plate 1x1 Mod Rounded w/ Handle - Black</p>
	<p>Tile 1x1 W Clip Round Edges - Black</p>

10

	<p>Plate 1x2 MW Stud Jumper - Black</p>

**Legend**



- DISCONNECT
- CONNECT / RECONNECT
- TURN / FLIP
- DIRECTIONAL
- TWIST / BRAID
- POWER ON TEST
- NOTE ICON




Tile 1x1 - Black

6-Port Expansion Board

✍ Connect the Orange Bit Light Cable from the boat to the 6-Port Expansion Board



✍ Connect the 5cm Connecting Cable into the "OUT" port of the Flicker Effects Board



✍ Connect a new 5cm Connecting Cable into the "IN" port of the Flicker Effects Board



5cm Connecting Cable

Flicker Effects Board

5cm Connecting Cable

6-Port Expansion Board

11

Legend → DISCONNECT → CONNECT / RECONNECT ↻ TURN / FLIP → DIRECTIONAL ↺ TWIST / BRAID \* POWER ON TEST ✍ NOTE ICON




**12**




**13**

Use the second Large Warm White LED Spotlight




**Legend**

- DISCONNECT
- CONNECT / RECONNECT
- ↻ TURN / FLIP
- DIRECTIONAL
- ↔ TWIST / BRAID
- ✦ POWER ON TEST
- 📝 NOTE ICON



Take the second Green LED Spotlight




**15**

Take the second Large Blue LED Spotlight



**Legend** → DISCONNECT → CONNECT / RECONNECT ↻ TURN / FLIP → DIRECTIONAL ↺ TWIST / BRAID \* POWER ON TEST 📝 NOTE ICON












**16**

Lift from the middle of the front to flip it up on its side

Take the Green and Large Blue Spotlight cables on the left side







Take the Green and Large Blue Spotlight cables on the right side





**Legend**

DISCONNECT   
 CONNECT / RECONNECT   
 TURN / FLIP   
 DIRECTIONAL   
 TWIST / BRAID   
 POWER ON TEST   
 NOTE ICON

5cm Connecting Cable








Take the 6-Port Expansion Board with the Green and Large Blue Spotlights






Peel off the adhesive square backings



2x Adhesive Square





Connect the other end of the 5cm Connecting Cable to second 6-Port Expansion Board from Step 11 (the one connected to the 'IN' port of the Flicker Effects Board)

Take the Warm White Spotlight Cable from the left side and connect it into the same 6-Port Expansion Board

Take the Warm White Spotlight Cable from the right side and connect it into the same 6-Port Expansion Board




**Legend**

→ DISCONNECT
→ CONNECT / RECONNECT
↻ TURN / FLIP
→ DIRECTIONAL
↻ TWIST / BRAID
✳ POWER ON TEST
📌 NOTE ICON



17

If you experience any issues with the lights not working and suspect an issue with a component, please try a different port on the expansion board to verify where the fault lies (with the light or expansion board). To correct any issues with expansion board ports, please view the section addressing expansion board issues in our troubleshooting section.






Connect the other end to a 5V USB Power Bank, 5V USB Wall Adaptor, or USB to AA Battery Pack (sold separately)






**Legend** DISCONNECT CONNECT / RECONNECT TURN / FLIP DIRECTIONAL TWIST / BRAID POWER ON TEST NOTE ICON

18





Perform the same action as before with this larger panel from the far right side



Legend

- DISCONNECT
- CONNECT / RECONNECT
- TURN / FLIP
- DIRECTIONAL
- TWIST / BRAID
- POWER ON TEST
- NOTE ICON

19




**Legend**    → DISCONNECT    → CONNECT / RECONNECT    ↻ TURN / FLIP    → DIRECTIONAL    ↻ TWIST / BRAID    ✨ POWER ON TEST    📝 NOTE ICON




20



Large Orange Bit Light 30cm




Round Plate 1x1 Open Stud - Trans Orange




Wave Rounded Small with Pin (Candle Flame)



21




Remove the inner pyramid section by lifting it from its corners and underneath







Legend








**22**



**Legend** → DISCONNECT → CONNECT / RECONNECT ↻ TURN / FLIP → DIRECTIONAL ↺ TWIST / BRAID ✨ POWER ON TEST 📝 NOTE ICON

23




24

☑ Lift up the middle section slightly by pressing from underneath to make a small gap

☑ Grab the Orange Bit Light cable and thread in between the plates


☑ Grab the Large Orange Bit Light cable and thread in between the plates




Legend

- DISCONNECT
- CONNECT / RECONNECT
- TURN / FLIP
- DIRECTIONAL
- TWIST / BRAID
- POWER ON TEST
- NOTE ICON

Thread both the cables in the gap as far as they can go and place the panel back on top




Press back down the separated middle section carefully with the cables in between




25

Connect the Orange Bit Light and Orange Large Bit Light to the 6-Port Expansion Board coming from the "OUT" port of the Flicker Effects Board








2x Adhesive Square



**Legend** DISCONNECT CONNECT / RECONNECT TURN / FLIP DIRECTIONAL TWIST / BRAID POWER ON TEST NOTE ICON










26

Take the remaining Orange Bit Light and Orange Large Bit Light from the right side and thread them as shown

Plug in the two cables to both of the "OUT" ports on the Flicker Effects Board





2x Adhesive Square




Legend

- DISCONNECT
- CONNECT / RECONNECT
- TURN / FLIP
- DIRECTIONAL
- TWIST / BRAID
- POWER ON TEST
- NOTE ICON

27



 Connect the other end to a 5V USB Power Bank, 5V USB Wall Adaptor, or USB to AA Battery Pack (sold separately)

**Legend**    DISCONNECT    CONNECT / RECONNECT    TURN / FLIP    DIRECTIONAL    TWIST / BRAID    POWER ON TEST    NOTE ICON



If you experience any issues with the lights not working and suspect an issue with a component, please try a different port on the expansion board to verify where the fault lies (with the light or expansion board). To correct any issues with expansion board ports, please view the section addressing expansion board issues in our troubleshooting section.




You should have these parts left over that were removed from the LEGO set

**Legend**   DISCONNECT   CONNECT / RECONNECT   TURN / FLIP   DIRECTIONAL   TWIST / BRAID   POWER ON TEST   NOTE ICON

## FINAL PRODUCT

This finally completes installation of the Light My Bricks  
LEGO Great Pyramid of Giza 21058 Light Kit.





## TROUBLESHOOTING

Light My Bricks lighting kits contain individual components that are very small and can be easily damaged if not handled correctly.

To prevent unnecessary damage to components, we highly recommend that the User Guide section, **“Important things to note”** is read carefully. Follow the handling procedures in the User Guide to help prevent faults and damages to your Light My Bricks components.

If you are experiencing issues with your Light My Bricks set, watch our troubleshooting video [here](#) or read on for a list of common causes to help you troubleshoot.



## Troubleshooting

**Firstly, ensure that the batteries have power using a battery charge gauge.**


**If the batteries have no power, replace the batteries.**

**If the batteries still have power, check to see if the batteries have been inserted correctly into the battery pack.**

### Check For CR2032 Batteries Using The Flat Battery Pack

Inside the battery pack is a symbol indicating which side the (round) CR2032 battery should be inserted. Check that the “+” side of the battery pack has the battery with the “+” symbol facing downwards.


On the opposite side, the “-” side of the battery pack should have the battery flipped upside down, that is the “+” symbol facing upwards.



## Troubleshooting



### Check For Cr2032 Batteries Using The Round Battery Pack

Inside the battery pack is a symbol indicating which side the (round) CR2032 battery should be inserted. In this case, for the stacked battery pack, ensure that BOTH batteries have the “+” symbol facing upwards.



### Check for AA batteries using the AA battery pack

Inside the battery pack are symbols indicating which direction the AA battery should be inserted. The flat side of the battery should be paired with the spring side of the battery pack.



# Troubleshooting


## Check Your Wires

In order for Light My Bricks components to fit in between and underneath LEGO® bricks, the components need to be very small. Due to this nature, Light My Bricks components can be easily damaged when not handled correctly.

Be careful when removing unpacked components out of the packaging and ensure not to forcibly pull at the wires as this can damage the soldering that attach the wires to the LEDs.

If the wiring is detached from the LED itself, the light will not operate.

When connecting lights to your LEGO set, check that there are no pinched wires underneath or in between bricks and plates. When the wires are pinched and the exposed wires are touching each other, this can cause a crosswire and the lights to not function correctly.




## Troubleshooting

### Check Your Expansion Board Ports/ Strip Light Ports / Effects Board Ports

It is important to note that connectors can only be inserted to the expansion board, strip light, or effects board ports in one direction.

Forcibly inserting connectors in the incorrect direction will result in damaging the pins inside each of the ports on your component board.




Not only will a light connected to the damaged port not work, but if the pins inside the port are bent to a point they are touching each other, this can result in all other lights in the system to stop working. This is a short circuit.



A short circuit can also result in overheating of the board, cable or batteries. If you suspect a short circuit, **DISCONNECT POWER IMMEDIATELY**. Batteries can fail, catch fire, or even explode if left connected to a short circuit for too long.

If you suspect you have a faulty component due to a bent pin, try the following steps:

If you look carefully inside each of the ports, each port contains 2 small pins that should be straight. You will be able to identify a faulty port if it has any bent pins.





## CONTACT US

If you have an enquiry regarding the online shop, our products or a general enquiry please refer to our Frequently Asked Questions webpage here.

Alternatively, you can contact our Customer Services team by visiting our online support portal here.

[support.lightmybricks.com](https://support.lightmybricks.com)

We thank you for purchasing this product and hope you enjoy!



[lightmybricks.com](http://lightmybricks.com)